



# **FiFi 1/ 2 Portable Fire Pump Unit**

## Specification Sheet

## FiFi 1/ 2 Portable Fire Pump Unit

Capacity: 1200 m<sup>3</sup>/ h ( 5280 US GPM)  
Designed for marine, offshore and land use.  
Pump, engine, fuel tank compact in a steel container.  
Diesel engine and pump are connected by coupling.  
Spec as following:

FiFi 1/ 2  
Model: CCGPU1200  
Cummins engine  
pump Single Stage Horizontal Centrifugal Pump  
Capacity: 1200m<sup>3</sup>/ h@ 120m head  
Remote Control Fire Monitor 1200m<sup>3</sup>/ h Throw head 120 m( 394 ft)


Weight 7 Tons

Certificate CCS, BV, ABS, and others

Also offer portable fire fighting pumps unit with other capacity and foam tank powder tank  
Water Monitor: 100-3600m<sup>3</sup>/ h  
Foam monitor: 300m<sup>3</sup>/ h 600m<sup>3</sup>/ h 1200m<sup>3</sup>/ h  
Powder monitor: 20kg/ S, 30kg/ S, 40Kg/ S







**Steel Mac**<sup>TM</sup>  
[www.steelmaclimited.com](http://www.steelmaclimited.com)